






## DIMENSIONI / SIZE




SNSE1   
9 - 0




SNSE2   
13 - 0




SNSE3   
17 - 0




SNSE60   
9 - 0




SNSE90   
13 - 0




SNSP1   
4 - 0




SNSP2   
8 - 0




SNSP90I   
2 - 0



SNSP90E   
9 - 0



SNSP60   
5 - 0



SNBRDX/SX   
2 - 0

## SISTEMI

### SCHIENALE 1P-2P-90°-60°

Struttura interna in acciaio; imbottitura in poliuretano flessibile stampato a freddo, autoestinguento, privo di CFC/HCFC, con ODP=0 (Ozone Depletion Potential), non contribuisce alla riduzione dello strato di ozono atmosferico ed è stampata in poliuretano Classe 1-IM, con densità 65 ± 5 g/l (kg/m3).

### SEDILE 1P-2P-3P-90°-60°

Struttura interna in acciaio; imbottitura in poliuretano "flessibile" stampato a freddo, autoestinguento, privo di CFC/HCFC, con ODP=0 (Ozone Depletion Potential), non contribuisce alla riduzione dello strato di ozono atmosferico ed è stampata in poliuretano Classe 1-IM, con doppia densità per un comfort maggiore. I sedili 90° e 60° non possono essere utilizzati come elementi terminali nelle composizioni o come sedute slegate.

### BRACCIOLI

Struttura interna in acciaio; imbottitura in poliuretano flessibile stampato a freddo, autoestinguento, privo di CFC/HCFC, con ODP=0 (Ozone Depletion Potential), non contribuisce alla riduzione dello strato di ozono atmosferico ed è stampata in poliuretano Classe 1-IM, con densità 65 ± 5 g/l (kg/m3).

### PIEDI

Disponibili piedi terminali "T" o di unione "U" nei colori bianco, nero o grigio chiaro.

### OPTIONAL

Disponibili come optional diverse tipologie di piani di giunzione:

piano di giunzione condiviso 30x60 semplice

piano di giunzione condiviso 60x60 semplice

piano di giunzione condiviso 30x60 tunnel

piano di giunzione condiviso 60x60 tunnel

Sono inoltre disponibili:

pianetto di appoggio terminale 22x40 con supporto in tubolare metallico a sezione circolare.

pianetto di appoggio girevole 20x30 con supporto in tubolare metallico a sezione circolare.

Tutte le parti in legno degli optional sono realizzate in nobilitato nelle finiture bianco, grigio caldo, rovere naturale e rovere sbiancato.

Disponibili cuscini lombari in poliuretano "flessibile" stampato a freddo, autoestinguento.

### TESSUTI

Disponibile monocolore e bicolore, in diverse tipologie e colorazioni presenti nelle cartelle rivestimenti LT Form.

\*Il bicolore è previsto solo nella divisione come da foto catalogo.

## SYSTEMS

### BACKREST 1P-2P-90°-60°

Internal structure in steel; Upholstered in flexible cold-moulded polyurethane, self-extinguishing, CFC/HCFC-free, with ODP=0 (Ozone Depletion Potential), so does not contribute to depletion of the ozone layer, and moulded in Class 1-IM polyurethane, with density 65 ± 5 g/l (kg/m3).

### SEAT 1P-2P-3P-90°-60°

Internal structure in steel; Upholstered in "flexible" cold-moulded polyurethane, self-extinguishing, CFC/HCFC-free, with ODP=0 (Ozone Depletion Potential), so does not contribute to depletion of the ozone layer, and moulded in Class 1-IM polyurethane, with double density for greater comfort. The 90° and 60° seats cannot be used as terminal elements in compositions or as stand-alone seating.

### ARMRESTS

Internal structure in steel; Upholstered in flexible cold-moulded polyurethane, self-extinguishing, CFC/HCFC-free, with ODP=0 (Ozone Depletion Potential), so does not contribute to depletion of the ozone layer, and moulded in Class 1-IM polyurethane, with density 65 ± 5 g/l (kg/m3).

### FEET

Available with "T"-shaped end feet or "U"-shaped joining feet in white, black or light grey.

### OPTIONAL

Available with a range of optional joining tops: shared joining top 30x60 simple shared joining top 60x60 simple shared joining top 30x60 tunnel shared joining top 60x60 tunnel

Also available: 22x40 small end shelf with support in circular section metal tubing.

20x30 small swivelling shelf with support in circular section metal tubing.

All wooden parts of optional items are made of melamine wood with white, warm grey, oak and bleached oak finishes.

Lumbar cushions available in "flexible" cold-moulded, self-extinguishing polyurethane.

### FABRICS

Available in one or two colours, in the different types and colours as detailed in the LT Form upholstery charts.

\* Two-tone version only available in the colour plan shown in the catalogue photo.

\* Su richiesta omologazione 1IM in categoria "C" con supplemento del 15%  
\* Available on request with 1IM approval in category "C" with 15% surcharge

PIEDI / FEET



**T**  
piedi terminali "T"  
-verniciati nei colori bianco, nero o grigio chiaro.

"T"-shaped terminal feet  
-painted in white, black or light grey.

COLORI TELAIO / FRAME COLOURS



**U**  
piedi unione "U"  
-verniciati nei colori bianco, nero o grigio chiaro.

"U"-shaped joining feet  
-painted in white, black or light grey.

COLORI TELAIO / FRAME COLOURS



ACCESSORI OPTIONS



**SNPC30**

Piano condiviso 30cm  
-In melaminico in diverse finiture: bianco, rovere chiaro.

Shared top 30cm  
-In melamine in range of finishes: white, light oak.

FORMA PIANO / TOP SHAPE



**SNPC60**

Piano condiviso 60cm  
-In melaminico in diverse finiture: bianco, rovere chiaro.

Shared top 60cm  
-In melamine in range of finishes: white, light oak.

FORMA PIANO / TOP SHAPE



**SNTC**

Tunnel condiviso 30cm  
-In melaminico in diverse finiture: bianco, rovere chiaro.

Shared tunnel 30cm  
-In melamine in different finishes: white, light oak.

FORMA PIANO / TOP SHAPE



**SNPG**


Piano girevole  
-In melaminico in diverse finiture: bianco, rovere chiaro.  
-Gamba metallica in tubolare a sezione circolare bianco.

Swivel top  
-In melamine in a range of finishes: white, light oak.  
-Metal leg in circular section tubing in colour white.

FORMA PIANO / TOP SHAPE



ACCESSORI OPTIONS



**SNPA**


Pianetto di appoggio  
-In melaminico in diverse finiture: bianco, rovere chiaro e rovere sbiancato.  
-Gamba metallica in tubolare a sezione bianco.

Support shelf  
-In melamine in range of finishes: white, light oak.  
-Metal leg in circular section tubing in white colour.

FORMA PIANO / TOP SHAPE



SINGOLI MODULI / SINGLE MODULES




Modulo 1 posto  
1- module



Modulo 2 posti  
2- module



Modulo 3 posti  
3- module



Modulo 90°\*  
90°- corner module\*


\* Non sono utilizzabili singolarmente o come terminali delle composizioni  
\* Cannot be used as single item nor as modular units terminal



Modulo 60°\*  
60°- corner module\*

\* Non sono utilizzabili singolarmente o come terminali delle composizioni  
\* Cannot be used as single item nor as modular units terminal

COMBINAZIONI / COMBINATIONS



I piedi "T" vanno SEMPRE inseriti a chiusura delle composizioni (inizio e fine), sono sempre 4 per composizione tranne che nelle composizioni chiuse o in quelle con tagli condivisi. I piedi "U" servono per collegare i singoli moduli tra loro vanno considerati due piedi per ogni lato comunicante.

The "T"-shaped feet must ALWAYS be inserted at the ends of the compositions (beginning and end); there are always 4 per composition except in closed compositions. The "U"-shaped feet are used to connect individual modules together; two feet for each connected side must be use.

ESEMPIO:

composizione .1: 12xU  
composizione .2: 4xU 8XT

EXEMPLE:

composition .1: 12xU  
composition .2: 4xU 8XT